




1. MATERIAL:HSG-NYLON (UL94V-0)
COLOR:BLACK ,NATURAL
POST: TIN BRASS
TAIL: TIN BRASS

2P&3P

D



C



B

DWN	
CHK	
APVD	
PRODUCT SPEC	108-60016
APPLICATION SPEC	
WEIGHT	
CUSTOMER DRAWING	



B




C

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PLC	$\pm$ —
PLC	$\pm$ —
PLC	$\pm$ —
PLC	$\pm$ —
PLC	$\pm$ —
ANGLES	$\pm$ —



SEE NOTE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-292173	—
		SCALE	SHEET
		1/1	3 OF 8
			REV C5





1. MATERIAL:HSG-NYLON (UL94V-0)
COLOR:BLACK ,NATURAL
POST: TIN BRASS
TAIL: TIN BRASS

- TAIL: TIN BRASS
 2 OCCUPANT AREA ON PC BOARD
 3 4P&ABOVE POS.
 4 2P&3P
 5 TO BE MEASURED WITH CONNECTOR PLACED
 ON HORIZONTAL DATUM SURFACE ,FLOAT OF
 SOLDER TINE AND TAIL FROM DATUM
 SURFACE IS 0.1mm MAX



NO ACCUMULATED TOLERANCE
RECOMMENDED P.C.BOARD LAYOUT
(P.C.B. THK:0.8mm MIN)

16.0	15.6	19.8	22.0	9	1-292173-9	292173-9
14.0	13.6	17.8	20.0	8	1-  -8	 -8
12.0	11.6	15.8	18.0	7	1-  -7	 -7
10.0	9.6	13.8	16.0	6	1-  -6	 -6
8.0	7.6	11.8	14.0	5	1-  -5	 -5
6.0	5.6	9.8		4	1-  -4	 -4
4.0		7.8		3	1-  -3	 -3
2.0		5.8		2	1-292173-2	292173-2
A	B	C	D	Pos.	NATURAL	BLACK
					P/N	




TOLERANCES UNLESS OTHERWISE SPECIFIED:

10 $\geq$ *	: ± 0.2
30 $\geq$ * > 10	: ± 0.25
100 $\geq$ * > 30	: ± 0.3
ANGEL	: $\pm 3^\circ$

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
MM



	DATE	DESCRIPTION	AMOUNT	
		MATERIAL		

SEE NOTE

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0	PLC	$\pm -$
1	PLC	$\pm -$
2	PLC	$\pm -$
3	PLC	$\pm -$
4	PLC	$\pm -$
ANGLES		$\pm -$

ANGLES	
FINISH	

SEE NOTE

DWN	
-----	--

CHK

APVD

PRODUCT SPEC

108-60016

APPLICATION SPEC

WEIGHT	
--------	--

CUSTOMER DRAWING



TE Connectivity Ltd.

SMT TYPE POST HDR ASS'Y (H)
WITH BOSS & TAIL TYPE
(TE CT CONN. 2mm PITCH)

SIZE	
------	--

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-292173

SCALE / /


	SHEET
--	-------

1. 0


REV

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


LAYOUT FOR 292173-X,1-292173-X



5 POS. & ABOVE POS.





3 POS.




2 POS.


RECOMMENDED P.C. BOARD LAYOUT
(P.C.B THK:0.8mm MIN)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN —	 TE Connectivity Ltd.			
		CHK —				
DIMENSIONS: MM	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± — 4 PLC ± — ANGLES ± —	APVD —	NAME SMT TYPE POST HDR ASSY H WITH BOSS TYPE CT CONN. 2mm PITCH			
		PRODUCT SPEC —				
		APPLICATION SPEC —	SIZE A3			
		WEIGHT 0				
		CAGE CODE 00779		DRAWING NO C=292173		RESTRICTED TO —
		CUSTOMER DRAWING				
		SCALE ++		SHEET 5 OF 8		REV C4







LAYOUT FOR 2-292173-X,3-2-292173-X



5 POS & ABOVE POS



3 POS




2POS

RECOMENOE P.C.BOARD LAYOUT
(P.C.B THK:0.8mm MIN)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
MM



MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0	PLC	$\pm -$
1	PLC	$\pm -$
2	PLC	$\pm -$
3	PLC	$\pm -$
4	PLC	$\pm -$
ANGLES		$+ -$

FINISH	
--------	--

DWN	—	
CHK	—	
APVD	—	
PRODUCT SPEC	—	
APPLICATION SPEC	—	
WEIGHT	—	
CUSTOMER DRAWING		



TE Connectivity Ltd.

NAME				SMT TYPE POST HDR ASS'Y (H) W/O, WITH TAIL TYPE (TE CT CONN. 2mm PITCH)			
SIZE	CAGE CODE	DRAWING NO			RESTRICTED TO		
A3	00779	C-292173			—		
SCALE				SHEET		REV	
//				8 OF 8		C4	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-292173-2](#)