


REVISIONS							
REV	ECO	DESCRIPTION	DATE	BY	APPR		
B1	-	RELEASED DRAWING	JUN-20-2014	BEN	TOMMY		









ECO-MATE, CORD GRIP, SIZE 12

RT0L-12CG-xx

REV: B1 SH: 1

P/N	SHIELDING RING	CABLE RANGE		
RT0L-12CG-C1	WITHOUT	Ø6-Ø10.5mm		
RT0L-12CG-C2	WITHOUT	Ø8.5-Ø12.5mm		
RT0L-12CG-S1	WITH	Ø6-Ø10.5mm		
RT0L-12CG-S2	WITH	Ø8.5-Ø12.5mm		

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. MATERIAL :

1.1. NUT : ZINC ALLOY, NICKEL PLATED.
1.2. CLAMP INSERT : THERMOPLASTIC UL94 V-0.

1.3. EMI SHIELDING RING : STAINLESS STEEL

1.4. BACK SHELL: ZINC ALLOY, NICKEL PLATED.

1.5. O-RING: SILICONE RUBBER.

1.6. GROMMET: RUBBER.

2. ROHS COMPLIANT.

3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

OLIANITITY	DADTA	III MDED				DE	CODIDTION		ITEM
QUANTITY PART N				DESCRIPTION			IIEM		
	MATERIALS LIST								
UNLESS OTHERWISE SPECIFIED  1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30   I Fractions +1/64		SIGNATURE	ES DA	ATE	Amphenol				
		DRAWN: BEN	JUN-2	20-2014	Amphenol				
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:			Sine Systems - www.amphenol-sine.com			e.com	
3) Note reference = X  MATERIAL SPECIFICATIONS:		ENGINEER:			44724 Morley Drive Clinton Township, MI 48036				
		APPROVAL:							
		CUSTOMER:			ECO-MATE,CORD GRIP,				
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES.		SIZE 12					
PROCESS SPECIFICATIONS:  NEXT ASS'Y:		SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO MORMAI		B	C-	RT0L-12C	G-xx	B1	
				SCALE: N	ONE		SHEET 1 OF	1	